
## **Finned Roller** shaft drive







#### **Material**

Nitrile, urethane or neoprene bonded to a steel insert. Hardness from 20-60 durometer (Shore A).

#### **Technical Notes**

Designed to be mounted onto a shaft. A

hub extends past the roller and is supplied with two set screws at 90°.

Finned rollers have grooves on the surface, creating less surface contact with the workpiece, and allowing dirt, debris and

liquid to pass.



# **Wixroyd Rollers**

overview



#### **Wixroyd Rollers**

#### **Product overview**



Solid rollers - have a smooth surface and a solid body



Durasoft rollers - have a smooth contact surface with teardrop holes to allow greater roller compression under load.



Finned rollers - are grooved and provide self-cleaning as dirt, debris and liquid pass under the contact surface of the roller.

#### **Durability levels**



20 durometer: Stiff foam rubber



35 durometer: Pencil rubber top



60 durometer: Car tyre




80 durometer: Skateboard wheel



90 durometer: Hockey puck

#### **Applications**



Rollers are used in car manufacturing to guide and align doors during bonding and curing applications



Bumpers have found their way into commercial exercise equipment to provide protection and stability during use.



# **Wixroyd Rollers**

material technical information



Nitrile and neoprene

### Materials colour guide and properties





Nitrile - one colour

Neoprene - one colour







**Urethane** 

**Material properties** 

35 Durometer (Yellow)

60 Durometer (Blue)

80 Durometer (Red)

95 Durometer (Orange)

Base Elastomer	Chemical Name	Advantages	Disadvantages	Max. Temp Min. Ter	np
Nitrile	Nitrile Butadiene	Resistant to petrolium, oil, alcohol & abrasion.	Affected by degreaser solvents.	Continuous 79°C Intermittent 107°C	;
Neoprene	Chloroprene	Flame and weather resistant. Resistant to Petroleum, oil, ozone & high temp.	Affected by phosphate hydraulic fluids, aromatic hydrocarbons.	Continuous 93°C Intermittent 121°C	,
Urethane	Di-Isocyante Polyurethane	Highest abrasion resistance, strength & load bearing. High elongation, hardness. Resistance to Ozone & Oxygen.	Affected by ether, esters, acid, aromatics, alkallis.	Continuous 93°C Intermittent 121°C	;
Prop	perty:	Nitrile	Neoprene	Urethane	
Tensile	Strength	✓ ✓	/ / /	/ / / /	
Ozone R	tesistance	✓	✓ ✓	1 1 1 1	
Cut Resistance		✓ ✓	<b>/ / /</b>	/ / / /	
Abrasion	Resistance	<b>✓</b> ✓	/ / /	/ / / /	
Resista	ance To:	Nitrile	Neoprene	Urethane	
Compre	ssion Set	✓ ✓	<b>/ / /</b>	/ / /	
ASTM	#1 Oil	/ / / /	✓ ✓	/ / / /	
ASTM	#2 Oil	/ / / /	✓ ✓	/ / / /	
Reference	ce Fuel B	<b>/ / /</b>	✓ ✓	/ / / /	
Ketone	es: MEK	✓	✓ ✓	✓	
	s: Toluene	<b>✓ ✓ ✓</b>	✓	/ / / /	
Aliphatic	s: Hexane	/ / / /	<b>/ / /</b>	/ / / /	
,	Acetate	✓	<b>/ / /</b>	✓	
Cellosolve		<b>√</b> √	<b>////</b>	✓	
Methylene Chloride		✓	✓	<b>/ / / /</b>	
Trichloroethylene		<b>√</b>	✓	<i>/ / / /</i>	
Diethylene Glycol		/ / / /	/ / / /	/ / /	
Isopropyl Alcohol		✓ ✓ ✓	<b>/ / /</b>	<b>✓ ✓ ✓</b>	
Caustics: 10% NaOH		<b>√</b> √ √	<b>/ / /</b>	✓	
Acids:	H2S04	✓ ✓	/ / /	✓	
Excellent	/ / / /	✓ Good ✓ ✓	✓ Fair	✓ ✓ Poor ✓	



ov-W60620-AP2750-T-W60910-A-T-b-rnh- Updated -28-10-2022



# 60620 - 6068<mark>8</mark> Materials Handling

# **Wixroyd Rollers**

bearings



The tables below show the maximum theoretical radius loads that can be applied to the respective bearings. Refer to individual product tables to identify bearing type supplied with roller.

#### Standard bearings

Bearing Type	Inside diameter (inches)	Outside diameter (inches)	Width (inches)	Load (Kg)	Speed (rpm)
A - Standard Double	.313/.317	.870/.875	.498/.502	55 36 24 20	50 100 250 500
B - Standard Single	.500/505	1.245/1.250	.370/.380	119 79 51 47	50 100 250 500
C - Standard Double	.500/505	1.245/1.250	.745/.755	192 128 83 70	50 100 250 500


With the calculations above, typical life is approximately 2500 hours.

#### **Clutch bearings**


Bearing Type	Inside diameter (inches)	Outside diameter (inches)	Width (inches)	Load (Kg)	Speed (rpm)
Н	.3745/.3750	.6245/.6255	.865/.875	167 146 116 85	33 50 100 250
ı	.6245/.6250	.8745/.8755	.990/1.000	277 242 192 142	33 50 100 250

With the calculations above, typical life is approximately 1,000,000 revolutions or 500 hours. The bearings are shielded and pre-lubricated for life with grease.

A clutch roller can only be used in one direction, as shown. See data table for clutch direction of particular part.







Right clutch bearing